

Publications

- (1) Griffante G, Gugliesi F, Pasquero S, Dell'Oste V, Biolatti M, Salinger AJ, et al. Human cytomegalovirus-induced host protein citrullination is crucial for viral replication. *Nat Commun* 2021;12(1).
- (2) Mola S, Pinton G, Erreni M, Corazzari M, Andrea MD, Grolla AA, et al. Inhibition of the histone methyltransferase ezh2 enhances protumor monocyte recruitment in human mesothelioma spheroids. *Int J Mol Sci* 2021;22(9).
- (3) Galitska G, Coscia A, Forni D, Steinbrueck L, De Meo S, Biolatti M, et al. Genetic Variability of Human Cytomegalovirus Clinical Isolates Correlates With Altered Expression of Natural Killer Cell-Activating Ligands and IFN-?. *Front Immunol* 2021;12.
- (4) Riva G, Albano C, Gugliesi F, Pasquero S, Pacheco SFC, Pecorari G, et al. HPV meets APOBEC: New players in head and neck cancer. *Int J Mol Sci* 2021;22(3):1-14.
- (5) Quaglia M, Merlotti G, De Andrea M, Borgogna C, Cantaluppi V. Review viral infections and systemic lupus erythematosus: New players in an old story. *Viruses* 2021;13(2).
- (6) Gugliesi F, Pasquero S, Griffante G, Scutera S, Albano C, Castillo Pacheco SF, et al. Human cytomegalovirus and autoimmune diseases: Where are we? *Viruses* 2021;13(2).
- (7) Iannucci A, Caneparo V, Raviola S, Debernardi I, Colangelo D, Miggiano R, et al. Toll-like receptor 4-mediated inflammation triggered by extracellular IFI16 is enhanced by lipopolysaccharide binding. *PLoS Pathog* 2020;16(9).
- (8) de Meo S, Dell'Oste V, Molfetta R, Tassinari V, Lotti LV, Vespa S, et al. Samhd1 phosphorylation and cytoplasmic relocalization after human cytomegalovirus infection limits its antiviral activity. *PLoS Pathog* 2020;16(9).
- (9) Couté Y, Kraut A, Zimmermann C, Büscher N, Hesse A-, Bruley C, et al. Mass spectrometry-based characterization of the virion proteome, phosphoproteome, and associated kinase activity of human cytomegalovirus. *Microorg* 2020;8(6).
- (10) Coscia A, Leone A, Rubino C, Galitska G, Biolatti M, Bertino E, et al. Risk of symptomatic infection after non-primary congenital cytomegalovirus infection. *Microorg* 2020;8(5).
- (11) Biolatti M, Blangetti M, D'arrigo G, Spyros F, Cappello P, Albano C, et al. Strigolactone analogs are promising antiviral agents for the treatment of human cytomegalovirus infection. *Microorg* 2020;8(5).
- (12) Gugliesi F, Coscia A, Griffante G, Galitska G, Pasquero S, Albano C, et al. Where do we stand after decades of studying human cytomegalovirus? *Microorg* 2020;8(5).
- (13) Mozzi A, Biolatti M, Cagliani R, Forni D, Dell'Oste V, Pontremoli C, et al. Past and ongoing adaptation of human cytomegalovirus to its host. *PLoS Pathog* 2020;16(5).
- (14) Dell'Oste V, Biolatti M, Galitska G, Griffante G, Gugliesi F, Pasquero S, et al. Tuning the Orchestra: HCMV vs. Innate Immunity. *Front Microbiol* 2020;11.
- (15) Colombo G, Clemente N, Zito A, Bracci C, Colombo FS, Sangaletti S, et al. Neutralization of extracellular NAMPT (nicotinamide phosphoribosyltransferase) ameliorates experimental murine colitis. *J Mol Med* 2020;98(4):595-612.
- (16) Lo Cigno I, Calati F, Borgogna C, Zevini A, Albertini S, Martuscelli L, et al. Human papillomavirus E7 oncoprotein subverts host innate immunity via Suv39H1-mediated epigenetic silencing of immune sensor genes. *J Virol* 2020;94(4).
- (17) Riva G, Biolatti M, Pecorari G, Dell'oste V, Landolfo S. PYHIN proteins and HPV: Role in

- the pathogenesis of head and neck squamous cell carcinoma. *Microorg* 2020;8(1).
- (18) De Andrea M, De Santis M, Caneparo V, Generali E, Sirotti S, Isailovic N, et al. Serum IFI16 and anti-IFI16 antibodies in psoriatic arthritis. *Clin Exp Immunol* 2020;199(1):88-96.
- (19) Cheng AZ, Moraes SN, Attarian C, Yockteng-Melgar J, Jarvis MC, Biolatti M, et al. A conserved mechanism of APOBEC3 relocalization by herpesviral ribonucleotide reductase large subunits. *J Virol* 2019;93(23).
- (20) Piccaluga PP, Navari M, Visani A, Rigotti F, Agostinelli C, Righi S, et al. Interferon gamma inducible protein 16 (IFI16) expression is reduced in mantle cell lymphoma. *Heliyon* 2019;5(11).
- (21) Riva G, Pecorari G, Biolatti M, Pautasso S, Lo Cigno I, Garzaro M, et al. PYHIN genes as potential biomarkers for prognosis of human papillomavirus-positive or -negative head and neck squamous cell carcinomas. *Mol Biol Rep* 2019;46(3):3333-3347.
- (22) Galitska G, Biolatti M, Griffante G, Gugliesi F, Pasquero S, Dell'Oste V, et al. Catch me if you can: The arms race between human cytomegalovirus and the innate immune system. *Future Virol* 2019;14(4):247-263.
- (23) Manfredi M, Conte E, Barberis E, Buzzi A, Robotti E, Caneparo V, et al. Integrated serum proteins and fatty acids analysis for putative biomarker discovery in inflammatory bowel disease. *J Proteomics* 2019;195:138-149.
- (24) Galitska G, Biolatti M, De Andrea M, Leone A, Coscia A, Bertolotti L, et al. Biological relevance of Cytomegalovirus genetic variability in congenitally and postnatally infected children. *J Clin Virol* 2018;108:132-140.
- (25) Biolatti M, Dell'oste V, Scutera S, Gugliesi F, Griffante G, De Andrea M, et al. The viral tegument protein pp65 impairs transcriptional upregulation of IL-1 β by human cytomegalovirus through inhibition of NF- κ B activity. *Viruses* 2018;10(10).
- (26) Pautasso S, Galitska G, Dell'Oste V, Biolatti M, Cagliani R, Forni D, et al. Strategy of human cytomegalovirus to escape interferon beta-induced APOBEC3G editing activity. *J Virol* 2018;92(19).
- (27) Biolatti M, Gugliesi F, Dell'Oste V, Landolfo S. Modulation of the innate immune response by human cytomegalovirus. *Infec Genet Evol* 2018;64:105-114.
- (28) Caneparo V, Landolfo S, Gariglio M, De Andrea M. The absent in melanoma 2-like receptor IFN-inducible protein 16 as an inflammasome regulator in systemic lupus erythematosus: The dark side of sensing microbes. *Front Immunol* 2018;9(MAY).
- (29) Biolatti M, Dell'Oste V, De Andrea M, Landolfo S. The human cytomegalovirus tegument protein pp65 (pUL83): A key player in innate immune evasion. *New Microbiol* 2018;41(2):87-94.
- (30) Albertini S, Cigno IL, Calati F, De Andrea M, Borgogna C, Dell'Oste V, et al. HPV18 persistence impairs basal and DNA ligand-mediated IFN- β and IFN- γ production through transcriptional repression of multiple downstream effectors of pattern recognition receptor signaling. *J Immunol* 2018;200(6):2076-2089.
- (31) Biolatti M, Dell'Oste V, Pautasso S, Gugliesi F, von Einem J, Krapp C, et al. Human cytomegalovirus tegument protein pp65 (pUL83) dampens type I interferon production by inactivating the DNA sensor cGAS without affecting STING. *J Virol* 2018;92(6).
- (32) Borgogna C, Olivero C, Lanfredini S, Calati F, De Andrea M, Zavattaro E, et al. β -HPV infection correlates with early stages of carcinogenesis in skin tumors and patient-derived xenografts from a kidney transplant recipient cohort. *Front Microbiol* 2018;9(FEB).
- (33) Lanfredini S, Olivero C, Borgogna C, Calati F, Powell K, Davies K-, et al. HPV8 Field Cancerization in a Transgenic Mouse Model Is due to Lrig1+ Keratinocyte Stem Cell Expansion. *J Invest Dermatol* 2017;137(10):2208-2216.
- (34) Piccaluga PP, Agostinelli C, Righi S, Ciccone M, Re MC, Musumeci G, et al. IFI16 reduced expression is correlated with unfavorable outcome in chronic lymphocytic leukemia.

APMIS 2017;125(6):511-522.

- (35) Alunno A, Bartoloni E, Bistoni O, Gerli R, Caneparo V, Carubbi F, et al. Relevance of Interferon-Inducible Protein-16 Rather than Anti-Interferon-Inducible Protein-16 Autoantibodies as a Clinical and Pathogenic Biomarker in Primary Sjögren's Syndrome: Comment on the Article by Baer et al. *Arthritis Care Res* 2017;69(3):453-454.
- (36) Ragin C, Liu JC, Jones G, Shoyele O, Sowunmi B, Kennett R, et al. Prevalence of HPV infection in racial-ethnic subgroups of head and neck cancer patients. *Carcinogenesis* 2017;38(2):218-229.
- (37) Caneparo V, Pastorelli L, Pisani LF, Bruni B, Prodam F, Boldorini R, et al. Distinct Anti-IFI16 and Anti-GP2 antibodies in inflammatory bowel disease and their variation with infliximab therapy. *Inflammatory Bowel Dis* 2016;22(12):2977-2987.
- (38) Pignoloni B, Fionda C, Dell'Oste V, Luganini A, Cippitelli M, Zingoni A, et al. Distinct roles for human cytomegalovirus immediate early proteins IE1 and IE2 in the transcriptional regulation of MICA and PVR/CD155 expression. *J Immunol* 2016;197(10):4066-4078.
- (39) Landolfo S, De Andrea M. Interferon ?/?. Encyclopedia of Immunobiology; 2016. p. 485-493.
- (40) Alunno A, Caneparo V, Bistoni O, Caterbi S, Terenzi R, Gariglio M, et al. Circulating Interferon-Inducible Protein IFI16 Correlates with Clinical and Serological Features in Rheumatoid Arthritis. *Arthritis Care Res* 2016;68(4):440-445.
- (41) Biolatti M, Dell'Oste V, Pautasso S, Von Einem J, Marschall M, Plachter B, et al. Regulatory interaction between the cellular restriction factor IFI16 and viral pp65 (pUL83) modulates viral gene expression and IFI16 protein stability. *J Virol* 2016;90(18):8238-8250.
- (42) Alunno A, Caneparo V, Carubbi F, Bistoni O, Caterbi S, Bartoloni E, et al. Interferon gamma-inducible protein 16 in primary Sjögren's syndrome: A novel player in disease pathogenesis? *Arthritis Res Ther* 2015;17(1).
- (43) Landini MM, Borgogna C, Peretti A, Doorbar J, Griffin H, Mignone F, et al. Identification of the skin virome in a boy with widespread human papillomavirus-2-positive warts that completely regressed after administration of tetravalent human papillomavirus vaccine. *Br J Dermatol* 2015;173(2):597-600.
- (44) Bawadekar M, De Andrea M, Gariglio M, Landolfo S. Mislocalization of the interferon inducible protein IFI16 by environmental insults: Implications in autoimmunity. *Cytokine Growth Factor Rev* 2015;26(2):213-219.
- (45) Alunno A, Caneparo V, Carubbi F, Bistoni O, Caterbi S, Gariglio M, et al. Interferon gamma-inducible protein 16 (IFI16) and anti-IFI16 antibodies in primary Sjögren's syndrome: Findings in serum and minor salivary glands. *Reumatismo* 2015;67(3):85-90.
- (46) Cigno IL, de Andrea M, Borgogna C, Albertini S, Landini MM, Peretti A, et al. The nuclear DNA sensor IFI16 acts as a restriction factor for human papillomavirus replication through epigenetic modifications of the viral promoters. *J Virol* 2015;89(15):7506-7520.
- (47) Piccaluga PP, Agostinelli C, Fuligni F, Righi S, Tripodo C, Re MC, et al. IFI16 expression is related to selected transcription factors during B-cell differentiation. *J Immunol Res* 2015;2015.
- (48) Bawadekar M, De Andrea M, Lo Cigno I, Baldanzi G, Caneparo V, Graziani A, et al. The Extracellular IFI16 Protein Propagates Inflammation in Endothelial Cells Via p38 MAPK and NF-?B p65 Activation. *J Interferon Cytokine Res* 2015;35(6):441-453.
- (49) Del Prete A, Luganini A, Scutera S, Rossi S, Anselmo A, Greco D, et al. Interferon-? production by plasmacytoid dendritic cells is dispensable for an effective anti-cytomegalovirus response in adaptor protein-3-deficient mice. *J Interferon Cytokine Res* 2015;35(3):232-238.
- (50) Dell'Oste V, Gatti D, Giorgio AG, Gariglio M, Landolfo S, De Andrea M. The interferon-inducible DNA-sensor protein IFI16: A key player in the antiviral response. *New Microbiol* 2015;38(1):5-20.

- (51) Peretti A, Borgogna C, Rossi D, De Paoli L, Bawadekar M, Zavattaro E, et al. Analysis of human ?-papillomavirus and Merkel cell polyomavirus infection in skin lesions and eyebrow hair bulbs from a cohort of patients with chronic lymphocytic leukaemia. *Br J Dermatol* 2014;171(6):1525-1528.
- (52) Lambert AJ, Huhtamo E, Di Fatta T, De Andrea M, Borella A, Vapalahti O, et al. Serological evidence of batai virus infections, Bovines, Northern Italy, 2011. *Vector Borne Zoonotic Dis* 2014;14(9):688-689.
- (53) Borgogna C, Lanfredini S, Peretti A, De Andrea M, Zavattaro E, Colombo E, et al. Improved detection reveals active ?-papillomavirus infection in skin lesions from kidney transplant recipients. *Mod Pathol* 2014;27(8):1101-1115.
- (54) Landini MM, Borgogna C, Peretti A, Colombo E, Zavattaro E, Boldorini R, et al. ?- and ?-Papillomavirus infection in a young patient with an unclassified primary T-cell immunodeficiency and multiple mucosal and cutaneous lesions. *J Am Acad Dermatol* 2014;71(1):108-115.e1.
- (55) Landolfo S, Andrea MD, Gariglio M. Restriction factors against human CMV. *Future Virol* 2014;9(5):499-511.
- (56) Borgogna C, Lanfredini S, Peretti A, De Andrea M, Zavattaro E, Colombo E, et al. Erratum: Improved detection reveals active ?-papillomavirus infection in skin lesions from kidney transplant recipients (*Modern Pathology* (2014) 27 (917) DOI:10.1038/modpathol.2014.2). *Mod Pathol* 2014;27(6):917.
- (57) Dell'Oste V, Gatti D, Gugliesi F, De Andrea M, Bawadekar M, Cigno IL, et al. Innate nuclear sensor IFI16 translocates into the cytoplasm during the early stage of In vitro human cytomegalovirus infection and is entrapped in the egressing virions during the late stage. *J Virol* 2014;88(12):6970-6982.
- (58) Mazibrada J, Longo L, Vatrano S, Cappia S, Giordelli J, Pentenero M, et al. Differential expression of HER2, STAT3, SOX2, IFI16 and cell cycle markers during HPV-related head and neck carcinogenesis. *New Microbiol* 2014;37(2):129-143.
- (59) Bon I, Lembo D, Rusnati M, Clò A, Morini S, Misericocchi A, et al. Peptide-Derivatized SB105-A10 Dendrimer Inhibits the Infectivity of R5 and X4 HIV-1 Strains in Primary PBMCs and Cervicovaginal Histocultures. *PLoS ONE* 2013;8(10).
- (60) Gugliesi F, Bawadekar M, de Andrea M, Dell'Oste V, Caneparo V, Tincani A, et al. Nuclear DNA Sensor IFI16 as Circulating Protein in Autoimmune Diseases Is a Signal of Damage that Impairs Endothelial Cells through High-Affinity Membrane Binding. *PLoS ONE* 2013;8(5).
- (61) Caneparo V, Cena T, De Andrea M, Dell'Oste V, Stratta P, Quaglia M, et al. Anti-IFI16 antibodies and their relation to disease characteristics in systemic lupus erythematosus. *Lupus* 2013;22(6):607-613.
- (62) Rittà M, Landolfo V, Mazibrada J, De Andrea M, Dell'Oste V, Caneparo V, et al. Human papillomavirus tumor-infiltrating T-regulatory lymphocytes and P53 codon 72 polymorphisms correlate with clinical staging and prognosis of oropharyngeal cancer. *New Microbiol* 2013;36(2):133-144.
- (63) Horan KA, Hansen K, Jakobsen MR, Holm CK, Søby S, Unterholzner L, et al. Proteasomal degradation of herpes simplex virus capsids in macrophages releases DNA to the cytosol for recognition by DNA sensors. *J Immunol* 2013;190(5):2311-2319.
- (64) Dell'Oste V, Caneparo V, de Andrea M, Gariglio M, Landolfo S. IFI16 Autoantibodies. Autoantibodies: Third Edition; 2013. p. 333-340.
- (65) Donalisio M, Rusnati M, Cagno V, Civra A, Bugatti A, Giuliani A, et al. Inhibition of human respiratory syncytial virus infectivity by a dendrimeric heparan sulfate-binding peptide. *Antimicrob Agents Chemother* 2012;56(10):5278-5288.
- (66) Bronzini M, Luganini A, Dell'Oste V, De Andrea M, Landolfo S, Gribaudo G. The US16

- gene of human cytomegalovirus is required for efficient viral infection of endothelial and epithelial cells. *J Virol* 2012;86(12):6875-6888.
- (67) Rossini G, Cerboni C, Santoni A, Landini MP, Landolfo S, Gatti D, et al. Interplay between human cytomegalovirus and intrinsic/innate host responses: A complex bidirectional relationship. *Mediators Inflamm* 2012;2012.
- (68) Borgogna C, Zavattaro E, De Andrea M, Griffin HM, Dell'Oste V, Azzimonti B, et al. Characterization of beta papillomavirus E4 expression in tumours from Epidermodysplasia Verruciformis patients and in experimental models. *Virology* 2012;423(2):195-204.
- (69) Landini MM, Zavattaro E, Borgogna C, Azzimonti B, De Andrea M, Colombo E, et al. Lack of EVER2 protein in two epidermodysplasia verruciformis patients with skin cancer presenting previously unreported homozygous genetic deletions in the EVER2 gene. *J Invest Dermatol* 2012;132(4):1305-1308.
- (70) Gariano GR, Dell'Oste V, Bronzini M, Gatti D, Luganini A, de Andrea M, et al. The intracellular DNA sensor IFI16 gene acts as restriction factor for human Cytomegalovirus replication. *PLoS Pathog* 2012;8(1).
- (71) Gugliesi F, Dell'Oste V, De Andrea M, Baggetta R, Mondini M, Zannetti C, et al. Tumor-derived endothelial cells evade apoptotic activity of the interferon-inducible IFI16 gene. *J Interferon Cytokine Res* 2011;31(8):609-618.
- (72) Luganini A, Nicoletto SF, Pizzuto L, Pirri G, Giuliani A, Landolfo S, et al. Inhibition of herpes simplex virus type 1 and type 2 infections by peptide-derivatized dendrimers. *Antimicrob Agents Chemother* 2011;55(7):3231-3239.
- (73) Noris E, Poli A, Cojoca R, Rittà M, Cavallo F, Vaglio S, et al. A human papillomavirus 8 E7 protein produced in plants is able to trigger the mouse immune system and delay the development of skin lesions. *Arch Virol* 2011;156(4):587-595.
- (74) Costa S, Mondini M, Caneparo V, Afeltra A, Airò P, Bellisai F, et al. Detection of anti-IFI16 antibodies by ELISA: Clinical and serological associations in systemic sclerosis. *Rheumatology (UK)* 2011;50(4):674-681.
- (75) Fiorentini S, Luganini A, Dell'Oste V, Lorusso B, Cervi E, Caccuri F, et al. Human cytomegalovirus productively infects lymphatic endothelial cells and induces a secretome that promotes angiogenesis and lymphangiogenesis through interleukin-6 and granulocyte-macrophage colony-stimulating factor. *J Gen Virol* 2011;92(3):650-660.
- (76) Costa S, Borgogna C, Mondini M, De Andrea M, Meroni PL, Berti E, et al. Redistribution of the nuclear protein IFI16 into the cytoplasm of ultraviolet B-exposed keratinocytes as a mechanism of autoantigen processing. *Br J Dermatol* 2011;164(2):282-290.
- (77) Gariglio M, Mondini M, De Andrea M, Landolfo S. The multifaceted interferon-inducible p200 family proteins: From cell biology to human pathology. *J Interferon Cytokine Res* 2011;31(1):159-172.
- (78) De Andrea M, Rittà M, Landini MM, Borgogna C, Mondini M, Kern F, et al. Keratinocyte-specific stat3 heterozygosity impairs development of skin tumors in human papillomavirus 8 transgenic mice. *Cancer Res* 2010;70(20):7938-7948.
- (79) Donalisio M, Rusnati M, Civra A, Bugatti A, Allemand D, Pirri G, et al. Identification of a dendrimeric heparan sulfate-binding peptide that inhibits infectivity of genital types of human papillomaviruses. *Antimicrob Agents Chemother* 2010;54(10):4290-4299.
- (80) Gugliesi F, De Andrea M, Mondini M, Cappello P, Giovarelli M, Shoenfeld Y, et al. The proapoptotic activity of the Interferon-inducible gene IFI16 provides new insights into its etiopathogenetic role in autoimmunity. *J Autoimmun* 2010;35(2):114-123.
- (81) Baggetta R, De Andrea M, Gariano GR, Mondini M, Rittà M, Caposio P, et al. The interferon-inducible gene IFI16 secretome of endothelial cells drives the early steps of the inflammatory response. *Eur J Immunol* 2010;40(8):2182-2189.
- (82) Mondini M, Costa S, Sponza S, Gugliesi F, Gariglio M, Landolfo S. The interferon-

- inducible HIN-200 gene family in apoptosis and inflammation: Implication for autoimmunity. *Autoimmunity* 2010;43(3):226-231.
- (83) Caposio P, Luganini A, Bronzini M, Landolfo S, Gribaudo G. The Elk-1 and serum response factor binding sites in the major immediate-early promoter of human cytomegalovirus are required for efficient viral replication in quiescent cells and compensate for inactivation of the NF-?B sites in proliferating cells. *J Virol* 2010;84(9):4481-4493.
- (84) Donalisio M, Poli A, Civra A, Landolfo S, Lembo D. Effects of cytokines on long control region transcriptional activity in high-risk cutaneous human papillomavirus types 5 and 8. *Arch Virol* 2010;155(4):583-587.
- (85) Foglio-Bonda P-, Gabriele M, Graziani F, De Andrea M, Mondini M, Gariglio M. High prevalence of human cytomegalovirus in a population of periodontally healthy subjects. *Med Oral Patol Oral Cir Bucal* 2010;15(2):e292-e296.
- (86) Luganini A, Giuliani A, Pirri G, Pizzuto L, Landolfo S, Gribaudo G. Peptide-derivatized dendrimers inhibit human cytomegalovirus infection by blocking virus binding to cell surface heparan sulfate. *Antiviral Res* 2010;85(3):532-540.
- (87) Mazibrada J, Andrea MD, Rittà M, Borgogna C, dell'Eva R, Pfeffer U, et al. In vivo growth inhibition of head and neck squamous cell carcinoma by the Interferon-inducible gene IFI16. *Cancer Lett* 2010;287(1):33-43.
- (88) Paoletti T, Fallarini S, Gugliesi F, Minassi A, Appendino G, Lombardi G. Anti-inflammatory and vascularprotective properties of 8-prenylapigenin. *Eur J Pharmacol* 2009;620(1-3):120-130.
- (89) Borgogna C, Zavattaro E, Dell'Oste V, Mondini M, Valente G, Colombo E, et al. No indications for HPV involvement in the hypertrophic skin lesions of a Darier disease case without ATP2A2 gene mutations. *J Cutaneous Pathol* 2009;36(9):1005-1009.
- (90) Rusnati M, Vicenzi E, Donalisio M, Oreste P, Landolfo S, Lembo D. Sulfated K5 Escherichia coli polysaccharide derivatives: A novel class of candidate antiviral microbicides. *Pharmacol Ther* 2009;123(3):310-322.
- (91) Azzimonti B, Dell'Oste V, Borgogna C, Mondini M, Gugliesi F, De Andrea M, et al. The epithelial-mesenchymal transition induced by keratinocyte growth conditions is overcome by E6 and E7 from HPV16, but not HPV8 and HPV38: Characterization of global transcription profiles. *Virology* 2009;388(2):260-269.
- (92) Borgogna C, Toniutto P, Smirne C, Azzimonti B, Rittà M, Avellini C, et al. Expression of the interferon-inducible proteins MxA and IFI16 in liver allografts. *Histopathology* 2009;54(7):837-846.
- (93) Sponza S, De Andrea M, Mondini M, Gugliesi F, Gariglio M, Landolfo S. Role of the interferon-inducible IFI16 gene in the induction of ICAM-1 by TNF-?. *Cell Immunol* 2009;257(1-2):55-60.
- (94) Rittà M, De Andrea M, Mondini M, Mazibrada J, Giordano C, Pecorari G, et al. Cell cycle and viral and immunologic profiles of head and neck squamous cell carcinoma as predictable variables of tumor progression. *Head Neck* 2009;31(3):318-327.
- (95) Dell'Oste V, Azzimonti B, De Andrea M, Mondini M, Zavattaro E, Leigheb G, et al. High ?-HPV DNA loads and strong seroreactivity are present in epidermodysplasia verruciformis. *J Invest Dermatol* 2009;129(4):1026-1034.
- (96) Luganini A, Caposio P, Mondini M, Landolfo S, Gribaudo G. New cell-based indicator assays for the detection of human cytomegalovirus infection and screening of inhibitors of viral immediate-early 2 protein activity. *J Appl Microbiol* 2008;105(6):1791-1801.
- (97) Dell'Oste V, Azzimonti B, Mondini M, de Andrea M, Borgogna C, Mesturini R, et al. Altered expression of UVB-induced cytokines in human papillomavirus-immortalized epithelial cells. *J Gen Virol* 2008;89(10):2461-2466.
- (98) Funaro A, Gribaudo G, Luganini A, Ortolan E, Lo Buono N, Vicenzi E, et al. Generation of

- potent neutralizing human monoclonal antibodies against cytomegalovirus infection from immune B cells. *BMC Biotechnol* 2008;8.
- (99) Mazibrada J, Rittà M, Mondini M, De Andrea M, Azzimonti B, Borgogna C, et al. Corrigendum to "Interaction between inflammation and angiogenesis during different stages of cervical carcinogenesis" [Gynecol. Oncol. 108 (2008) 112-120] (DOI:10.1016/j.ygyno.2007.08.095). *Gynecol Oncol* 2008;110(1):118.
- (100) Lembo D, Donalisio M, Rusnati M, Bugatti A, Cornaglia M, Cappello P, et al. Sulfated K5 Escherichia coli polysaccharide derivatives as wide-range inhibitors of genital types of human papillomavirus. *Antimicrob Agents Chemother* 2008;52(4):1374-1381.
- (101) Luganini A, Caposio P, Landolfo S, Gribaudo G. Phosphorothioate-modified oligodeoxynucleotides inhibit human cytomegalovirus replication by blocking virus entry. *Antimicrob Agents Chemother* 2008;52(3):1111-1120.
- (102) Donalisio M, Cornaglia M, Landolfo S, Lembo D. TGF-?1 and IL-4 downregulate human papillomavirus-16 oncogene expression but have differential effects on the malignant phenotype of cervical carcinoma cells. *Virus Res* 2008;132(1-2):253-256.
- (103) Zavattaro E, Azzimonti B, Mondini M, De Andrea M, Borgogna C, Dell'Oste V, et al. Identification of defective Fas function and variation of the perforin gene in an epidermodysplasia verruciformis patient lacking EVER1 and EVER2 mutations [3]. *J Invest Dermatol* 2008;128(3):732-735.
- (104) Mazibrada J, Rittà M, Mondini M, De Andrea M, Azzimonti B, Borgogna C, et al. Interaction between inflammation and angiogenesis during different stages of cervical carcinogenesis. *Gynecol Oncol* 2008;108(1):112-120.
- (105) Riboldi P, Gerosa M, Mondini M, Landolfo S. Interferon-inducible protein IFI16 autoantibodies. *Autoantibodies*; 2007. p. 331-337.
- (106) Caposio P, Gugliesi F, Zannetti C, Sponza S, Mondini M, Medico E, et al. A novel role of the interferon-inducible protein IFI16 as inducer of proinflammatory molecules in endothelial cells. *J Biol Chem* 2007;282(46):33515-33529.
- (107) De Andrea M, Gioia D, Mondini M, Azzimonti B, Renò F, Pecorari G, et al. Effects of IFI16 overexpression on the growth and doxorubicin sensitivity of head and neck squamous cell carcinoma-derived cell lines. *Head Neck* 2007;29(9):835-844.
- (108) Caposio P, Luganini A, Hahn G, Landolfo S, Gribaudo G. Activation of the virus-induced IKK/NF-?B signalling axis is critical for the replication of human cytomegalovirus in quiescent cells. *Cell Microbiol* 2007;9(8):2040-2054.
- (109) Caposio P, Musso T, Luganini A, Inoue H, Gariglio M, Landolfo S, et al. Targeting the NF-?B pathway through pharmacological inhibition of IKK2 prevents human cytomegalovirus replication and virus-induced inflammatory response in infected endothelial cells. *Antiviral Res* 2007;73(3):175-184.
- (110) De Andrea M, Mondini M, Azzimonti B, Dell'Oste V, Germano S, Gaudino G, et al. Alpha- and betapapillomavirus E6/E7 genes differentially modulate pro-inflammatory gene expression. *Virus Res* 2007;124(1-2):220-225.
- (111) Mondini M, Vidali M, Airò P, De Andrea M, Riboldi P, Meroni PL, et al. Role of the interferon-inducible gene IFI16 in the etiopathogenesis of systemic autoimmune disorders. *Ann New York Acad Sci* 2007;1110:47-56.
- (112) Mondini M, Vidali M, De Andrea M, Azzimonti B, Airò P, D'Ambrosio R, et al. A novel autoantigen to differentiate limited cutaneous systemic sclerosis from diffuse cutaneous systemic sclerosis: The interferon-inducible gene IFI16. *Arthritis Rheum* 2006;54(12):3939-3944.
- (113) Lembo D, Donalisio M, Cornaglia M, Azzimonti B, Demurtas A, Landolfo S. Effect of high-risk human papillomavirus oncoproteins on p53R2 gene expression after DNA damage. *Virus Res* 2006;122(1-2):189-193.

- (114) Zannetti C, Mondini M, De Andrea M, Caposio P, Hara E, Peters G, et al. The expression of p16INK4a tumor suppressor is upregulated by human cytomegalovirus infection and required for optimal viral replication. *Virology* 2006;349(1):79-86.
- (115) De Petrini M, Rittà M, Schena M, Chiusa L, Campisi P, Giordano C, et al. Head and neck squamous cell carcinoma: Role of the human papillomavirus in tumour progression. *New Microbiol* 2006;29(1):25-33.
- (116) Drosera M, Facchetti F, Landolfo S, Mondini M, Nyberg F, Parodi A, et al. Role of soluble and cell surface molecules in the pathogenesis of autoimmune skin diseases. *Clin Exp Rheumatol* 2006;24(SUPPL. 40):S7-S13.
- (117) Lembo D, Donalisio M, De Andrea M, Cornaglia M, Scutera S, Musso T, et al. A cell-based high-throughput assay for screening inhibitors of human papillomavirus-16 long control region activity. *FASEB J* 2006;20(1):148-150.
- (118) Azzimonti B, Mondini M, De Andrea M, Gioia D, Dianzani U, Mesturini R, et al. CD8+ T-cell lymphocytopenia and lack of EVER mutations in a patient with clinically and virologically typical epidermodysplasia verruciformis. *Arch Dermatol* 2005;141(10):1323-1325.
- (119) Gugliesi F, Mondini M, Ravera R, Robotti A, De Andrea M, Gribaudo G, et al. Up-regulation of the interferon-inducible IFI16 gene by oxidative stress triggers p53 transcriptional activity in endothelial cells. *J Leukocyte Biol* 2005;77(5):820-829.
- (120) Azzimonti B, Pagano M, Mondini M, De Andrea M, Valente G, Monga G, et al. Altered patterns of the interferon-inducible gene IFI16 expression in head and neck squamous cell carcinoma: Immunohistochemical study including correlation with retinoblastoma protein, human papillomavirus infection and proliferation index. *Histopathology* 2004;45(6):560-572.
- (121) Caposio P, Riera L, Hahn G, Landolfo S, Gribaudo G. Evidence that the Human Cytomegalovirus 46-kDa UL72 protein is not an active dUTPase but a late protein dispensable for replication in fibroblasts. *Virology* 2004;325(2):264-276.
- (122) Fineschi S, Borghi MO, Riboldi P, Gariglio M, Buzio C, Landolfo S, et al. Prevalence of autoantibodies against structure specific recognition protein 1 in systemic lupus erythematosus. *Lupus* 2004;13(6):463-468.
- (123) Caposio P, Dreano M, Garotta G, Gribaudo G, Landolfo S. Human Cytomegalovirus Stimulates Cellular IKK2 Activity and Requires the Enzyme for Productive Replication. *J Virol* 2004;78(6):3190-3195.
- (124) Raffaella R, Gioia D, De Andrea M, Cappello P, Giovarelli M, Marconi P, et al. The interferon-inducible IFI16 gene inhibits tube morphogenesis and proliferation of primary, but not HPV16 E6/E7-immortalized human endothelial cells. *Exp Cell Res* 2004;293(2):331-345.
- (125) Lembo D, Donalisio M, Hofer A, Cornaglia M, Brune W, Koszinowski U, et al. The Ribonucleotide Reductase R1 Homolog of Murine Cytomegalovirus Is Not a Functional Enzyme Subunit but Is Required for Pathogenesis? *J Virol* 2004;78(8):4278-4288.
- (126) Azzimonti B, De Andrea M, Valente G, Landolfo S, Gariglio M. An analysis of the role of papillomavirus in precancerous lesions of the larynx. *Ig Mod* 2003;119(2):89-94.
- (127) De Andrea M, Gioia D, Azzimonti B, Noris E, Landolfo S, Gariglio M. Biological properties and genomic organization of the family of Interferon-inducible murine Ifi 200 and its human counterpart HIN200. *Ig Mod* 2003;119(3):135-145.
- (128) Buttiglieri S, Galetto A, Forno S, De Andrea M, Matera L. Influence of drug-induced apoptotic death on processing and presentation of tumor antigens by dendritic cells. *Int J Cancer* 2003;106(4):516-520.
- (129) Landolfo S, Gariglio M, Gribaudo G, Lembo D. The human cytomegalovirus. *Pharmacol Ther* 2003;98(3):269-297.
- (130) Gribaudo G, Riera L, Caposio P, Maley F, Landolfo S. Human cytomegalovirus requires cellular deoxycytidylate deaminase for replication in quiescent cells. *J Gen Virol* 2003;84(6):1437-1441.

- (131) De Andrea M, Zannetti C, Noris E, Gariglio M, Azzimonti B, Landolfo S. The mouse interferon-inducible gene Ifi204 product interacts with the Tpr protein, a component of the nuclear pore complex. *J Interferon Cytokine Res* 2002;22(11):1113-1121.
- (132) Gribaudo G, Riera L, Rudge TL, Caposio P, Johnson LF, Landolfo S. Human cytomegalovirus infection induces cellular thymidylate synthase gene expression in quiescent fibroblasts. *J Gen Virol* 2002;83(12):2983-2993.
- (133) Noris E, Zannetti C, Demurtas A, Sinclair J, De Andrea M, Gariglio M, et al. Cell cycle arrest by human cytomegalovirus 86-kDa IE2 protein resembles premature senescence. *J Virol* 2002;76(23):12135-12148.
- (134) Gariglio M, Azzimonti B, Pagano M, Palestro G, De Andrea M, Valente G, et al. Immunohistochemical expression analysis of the human interferon-inducible gene IFI16, a member of the HIN200 family, not restricted to hematopoietic cells. *J Interferon Cytokine Res* 2002;22(7):815-821.
- (135) De Andrea M, Ravotto M, Noris E, Ying G-, Gioia D, Azzimonti B, et al. The interferon-inducible gene, Ifi204, acquires malignant transformation capability upon mutation at the Rb-binding sites. *FEBS Lett* 2002;515(1-3):51-57.
- (136) Caposio P, Pessione E, Giuffrida G, Conti A, Landolfo S, Giunta C, et al. Cloning and characterization of two catechol 1,2-dioxygenase genes from *Acinetobacter radioresistens* S13. *Res Microbiol* 2002;153(2):69-74.
- (137) Santoro P, De Andrea M, Migliaretti G, Trapani C, Landolfo S, Gariglio M. High prevalence of autoantibodies against the nuclear high mobility group (HMG) protein SSRP1 in sera from patients with systemic lupus erythematosus, but not other rheumatic diseases. *J Rheumatol* 2002;29(1):90-93.
- (138) De Andrea M, Ravera R, Gioia D, Gariglio M, Landolfo S. The interferon system: An overview. *Eur J Paediatr Neurol* 2002;6(SUPPL. 1):A41-A46.
- (139) Zanon C, Clara R, Bortolini M, Malossi A, Moscato R, Celoria P, et al. Chemohyperthermia for advanced abdominal malignancies: A new procedure with closed abdomen and previously performed anastomosis. *Int J Hyperthermia* 2001;17(5):456-464.
- (140) Pessione E, Giuffrida MG, Mazzoli R, Caposio P, Landolfo S, Conti A, et al. The catechol 1,2 dioxygenase system of *Acinetobacter radioresistens*: Isoenzymes, inducers and gene localisation. *Biol Chem* 2001;382(8):1253-1261.
- (141) Cavallo R, Lembo D, Gribaudo G, Landolfo S. Murine cytomegalovirus infection induces cellular folylpolyglutamate synthetase activity in quiescent cells. *Intervirology* 2001;44(4):224-226.
- (142) Rolle S, De Andrea M, Gioia D, Lembo D, Hertel L, Landolfo S, et al. The interferon-inducible 204 gene is transcriptionally activated by mouse cytomegalovirus and is required for its replication. *Virology* 2001;286(2):249-255.
- (143) Riera L, Gariglio M, Pagano M, Gaiola O, Simon MM, Landolfo S. Control of murine cytomegalovirus replication in salivary glands during acute infection is independent of the fas ligand/fas system. *New Microbiol* 2001;24(3):231-238.
- (144) Gribaudo G, Riera L, Lembo D, De Andrea M, Johnson LF, Landolfo S. The anticytomegaloviral activity of raltitrexed is abrogated in quiescent mouse fibroblasts that overexpress thymidylate synthase. *Virus Res* 2001;73(1):57-65.
- (145) Lembo D, Gribaudo G, Hofer A, Riera L, Cornaglia M, Mondo A, et al. Expression of an altered ribonucleotide reductase activity associated with the replication of murine cytomegalovirus in quiescent fibroblasts. *J Virol* 2000;74(24):11557-11565.
- (146) Lembo D, Gribaudo G, Riera L, Mondo A, Cavallo R, Angeretti A, et al. The thymidylate synthase inhibitor ZD1694 potently inhibits murine and human cytomegalovirus replication in quiescent fibroblasts. *Antiviral Res* 2000;47(2):111-120.
- (147) Hertel L, Rolle S, De Andrea M, Azzimonti B, Osello R, Gribaudo G, et al. The

- retinoblastoma protein is an essential mediator that links the interferon-inducible 204 gene to cell-cycle regulation. *Oncogene* 2000;19(32):3598-3608.
- (148) Riera L, Gariglio M, Valente G, Müllbacher A, Museteau C, Landolfo S, et al. Murine cytomegalovirus replication in salivary glands is controlled by both perforin and granzymes during acute infection. *Eur J Immunol* 2000;30(5):1350-1355.
- (149) Gribaudo G, Riera L, Lembo D, De Andrea M, Gariglio M, Rudge TL, et al. Murine cytomegalovirus stimulates cellular thymidylate synthase gene expression in quiescent cells and requires the enzyme for replication. *J Virol* 2000;74(11):4979-4987.
- (150) Landolfo S, Guarini A, Riera L, Gariglio M, Gribaudo G, Cignetti A, et al. Chronic myeloid leukemia cells resistant to interferon-? lack STAT1 expression. *Hematol J* 2000;1(1):7-14.
- (151) Brancaccio M, Guazzone S, Menini N, Sibona E, Hirsch E, De Andrea M, et al. Melusin is a new muscle-specific interactor for ?1 integrin cytoplasmic domain. *J Biol Chem* 1999;274(41):29282-29288.
- (152) Hertel L, De Andrea M, Azzimonti B, Rolle A, Gariglio M, Landolfo S. The interferon-inducible 204 gene, a member of the Ifi 200 family, is not involved in the antiviral state induction by IFN-?, but is required by the mouse cytomegalovirus for its replication. *Virology* 1999;262(1):1-8.
- (153) Lembo D, Cavallo R, Cornaglia M, Mondo A, Hertel L, Angeretti A, et al. Overexpression of cellular dihydrofolate reductase abolishes the anticytomegaloviral activity of methotrexate. *Arch Virol* 1999;144(7):1397-1403.
- (154) Azzimonti B, Hertel L, Aluffi P, Francesco P, Monga G, Zocchi M, et al. Demonstration of multiple HPV types in laryngeal premalignant lesions using polymerase chain reaction and immunohistochemistry. *J Med Virol* 1999;59(1):110-116.
- (155) Hertel L, De Andrea M, Bellomo G, Santoro P, Landolfo S, Gariglio M. The HMG protein T160 colocalizes with DNA replication foci and is down- regulated during cell differentiation. *Exp Cell Res* 1999;250(2):313-328.
- (156) Gribaudo G, Riera L, De Andrea M, Landolfo S. The antiproliferative activity of the murine interferon-inducible Ifi 200 proteins depends on the presence of two 200 amino acid domains. *FEBS Lett* 1999;456(1):31-36.
- (157) Lembo D, Gribaudo G, Cavallo R, Riera L, Angeretti A, Hertel L, et al. Human cytomegalovirus stimulates cellular dihydrofolate reductase activity in quiescent cells. *Intervirology* 1999;42(1):30-36.
- (158) Gribaudo G, Riera L, Hertel L, Landolfo S. In vitro and in vivo expression analysis of the interferon-inducible 203 gene. *J Interferon Cytokine Res* 1999;19(2):129-136.
- (159) Tarozzo G, Cappello P, De Andrea M, Walters E, Margolis L, Oestreicher B, et al. Prenatal differentiation of mouse vomeronasal neurones. *Eur J Neurosci* 1998;10(1):392-396.
- (160) Tarozzo G, De Andrea M, Feuilloley M, Vaudry H, Fasolo A. Molecular and cellular guidance of neuronal migration in the developing olfactory system of rodents. *Ann New York Acad Sci* 1998;839:196-200.
- (161) Lembo M, Sacchi C, Zappador C, Bellomo G, Gaboli M, Pandolfi PP, et al. Inhibition of cell proliferation by the interferon-inducible 204 gene, a member of the Ifi 200 cluster. *Oncogene* 1998;16(12):1543-1551.
- (162) Landolfo S, Gariglio M, Gribaudo G, Lembo D. The Ifi 200 genes: An emerging family of IFN-inducible genes. *Biochimie* 1998;80(8-9):721-728.
- (163) Gariglio M, De Andrea M, Lembo M, Ravotto M, Zappador C, Valente G, et al. The murine homolog of the HIN 200 family, Ifi 204, is constitutively expressed in myeloid cells and selectively induced in the monocyte/macrophage lineage. *J Leukocyte Biol* 1998;64(5):608-614.
- (164) Lembo D, Angeretti A, Gariglio M, Landolfo S. Murine cytomegalovirus induces

- expression and enzyme activity of cellular dihydrofolate reductase in quiescent cells. *J Gen Virol* 1998;79(11):2803-2807.
- (165) Landolfo S, Gariglio M, Gribaudo G. The interferon inducible proteins as mediators of their biological activities. *Rev Clin Exp Hematol* 1998(6):21-35.
- (166) Gariglio M, Ying G-, Hertel L, Gaboli M, Clerc RG, Landolfo S. The high-mobility group protein T160 binds to both linear and cruciform DNA and mediates DNA bending as determined by ring closure. *Exp Cell Res* 1997;236(2):472-481.
- (167) Hertel L, Foresta P, Barbiero G, Ying GG, Bonelli G, Baccino FM, et al. Decreased expression of the high-mobility group protein T160 by antisense RNA impairs the growth of mouse fibroblasts. *Biochimie* 1997;79(12):717-723.
- (168) Gariglio M, Foresta P, Sacchi C, Lembo M, Hertel L, Landolfo S. Suppression of high mobility group protein T160 expression impairs mouse cytomegalovirus replication. *J Gen Virol* 1997;78(3):665-670.
- (169) Gribaudo G, Ravaglia S, Guandalini L, Riera L, Gariglio M, Landolfo S. Molecular cloning and expression of an interferon-inducible protein encoded by gene 203 from the gene 200 cluster. *Eur J Biochem* 1997;249(1):258-264.
- (170) Lembo D, Ricciardi-Castagnoli P, Alber G, Ozmen L, Landolfo S, Blüthmann H, et al. Mouse macrophages carrying both subunits of the human interferon-? (IFN-?) receptor respond to human IFN-? but do not acquire full protection against viral cytopathic effect. *J Biol Chem* 1996;271(51):32659-32666.
- (171) Gribaudo G, Ravaglia S, Guandalini L, Cavallo R, Gariglio M, Landolfo S. The murine cytomegalovirus immediate-early 1 protein stimulates NF-?B activity by transactivating the NF-?B p105/p50 promoter. *Virus Res* 1996;45(1):15-27.
- (172) Lanzi G, Fazzi E, Veggiotti P, Pagliano E, Gariglio M, Bonaglia C, et al. Ring chromosome 9: An atypical case. *BRAIN DEVELOP* 1996;18(3):216-219.
- (173) Landolfo S, Angeretti A, Gariglio M, Gribaudo G, Lembo D. The interferon system in resistance against viral infections. *Ig Mod* 1995;104(4):543-554.
- (174) Gribaudo G, Ravaglia S, Gaboli M, Gariglio M, Cavallo R, Landolfo S. Interferon-? Inhibits the Murine Cytomegalovirus Immediate-Early Gene Expression by Down-Regulating NF-?B Activity. *Virology* 1995;211(1):251-260.
- (175) Lembo D, Angeretti A, Benefazio S, Hertel L, Gariglio M, Novelli F, et al. Constitutive expression of the interferon-inducible protein p202 in NIH 3T3 cells affects cell cycle progression. *J BIOL REGUL HOMEOSTATIC AGENTS* 1995;9(2):42-46.
- (176) Lembo D, Angeretti A, Gaboli M, Cavallo R, Landolfo S. Modulation of HIV-LTR activity by ras oncogenes. *New Microbiol* 1995;18(2):111-116.
- (177) Landolfo S, Gribaudo G, Angeretti A, Gariglio M. Mechanisms of viral inhibition by interferons. *Pharmacol Ther* 1995;65(3):415-442.
- (178) Gaboli M, Angeretti A, Lembo D, Gariglio M, Gribaudo G, Landolfo S. cAMP response element of murine cytomegalovirus immediate early gene enhancer is transactivated by ras oncogene products. *J Gen Virol* 1995;76(4):751-758.
- (179) GARIGLIO M, GABOLI M, MANA C, YING G?, GIBAUDO G, CAVALLO R, et al. Characterization of nuclear factors involved in 202 gene induction by interferon?? in murine leukemia cells. *Eur J Biochem* 1994;221(2):731-739.
- (180) Gariglio M, Gaboli M, Mana C, Foresta P, Ying GG, Angeretti A, et al. Characterization of nuclear factors involved in 202 gene induction by IFN-alpha, viruses or dsRNA in murine leukemia cells. *New Microbiol* 1994;17(4):259-267.
- (181) Cavallo R, Valente G, Jemma C, Gribaudo G, Landolfo S, Cavallo G. Presence of murine retroviral sequences in human cell line transplanted in immunosuppressed SCID-mice. *New Microbiol* 1994;17(3):195-202.
- (182) Gribaudo G, Landolfo S, Cavallo G. Viral evasion of cytokine-mediated host defense

- mechanisms. *G Batteriol Virol Immunol* 1994;86(1-12):3-10.
- (183) Lembo D, Angeretti A, Cavallo R, Gariglio M, Gribaudo G, Landolfo S. Protein p53 inhibits the activity of the enhancer of the immediate-early genes of murine cytomegalovirus. *G Batteriol Virol Immunol* 1994;86(1-12):43-54.
- (184) Angeretti A, Lembo D, Cavallo R, Gariglio M, Gribaudo G, Landolfo S. Serum stimulates the transcriptional activity of the enhancer of the immediate-early genes of the murine cytomegalovirus through p21 ras. *G Batteriol Virol Immunol* 1994;86(1-12):55-64.
- (185) Lembo D, Angeretti A, Foresta P, Gribaudo G, Gariglio M, Landolfo S. Trans-activation of the mouse cytomegalovirus immediate early gene enhancer by ras oncogenes. *J Gen Virol* 1994;75(7):1685-1692.
- (186) Landolfo S, Gariglio M, Gribaudo G, Garotta G. Double-stranded RNAs as gene activators. *Prog Mol Subcell Biol* 1994;14:15-27.
- (187) Martinotti MG, Gribaudo G, Gariglio M, Caliendo A, Lembo D, Angeretti A, et al. Effect of Interferon-? on Immediate Early Gene Expression of Murine Cytomegalovirus. *J Interferon Res* 1993;13(2):105-109.
- (188) Gribaudo G, Bavaglia S, Caliendo A, Cavallo R, Gariglio M, Martinotti MG, et al. Interferons inhibit onset of murine cytomegalovirus immediate-early gene transcription. *Virology* 1993;197(1):303-311.
- (189) Caruso A, Tiberio L, De Rango C, Bonfanti C, Flamminio G, Gribaudo G, et al. A monoclonal antibody to the NH₂-terminal segment of human IFN-? selectively interferes with the antiproliferative activity of the lymphokine. *J Immunol* 1993;150(3):1029-1035.
- (190) Ozmen L, Gribaudo G, Fountoulakis M, Gentz R, Landolfo S, Garotta G. Mouse soluble IFN? receptor as IFN? inhibitor: Distribution, antigenicity, and activity after injection in mice. *J Immunol* 1993;150(7):2698-2705.
- (191) Gribaudo G, Caliendo A, Lembo D, Cavallo R, Landolfo S. Molecular cloning of interferon-? inducible genes from a murine pre-B cell leukemia. *J BIOL REGUL HOMEOSTATIC AGENTS* 1992;6(4):137-141.
- (192) Lembo D, Gaboli M, Caliendo A, Falciani F, Garattini E, Landolfo S. Regulation of the 202 gene expression by interferons in L929 cells. *Biochem Biophys Res Commun* 1992;187(2):628-634.
- (193) Caruso A, Viani E, Tiberio L, Pollara P, Monti E, Bonfanti C, et al. Inhibition of the Biological Activity of Human Interferon-? by Antipeptide Antibodies. *J Interferon Res* 1992;12(1):49-54.
- (194) Martinotti MG, Gribaudo G, Gariglio M, Angeretti A, Cavallo G, Landolfo S. Effects of interferon alpha on murine cytomegalovirus replication. *Microbiologica* 1992;15(2):183-186.
- (195) Lembo D, Cofano F, Cavallo G, Landolfo S. The murine IFN-gamma receptor does not transduce the activation signal to a murine promoter in human cells. *J BIOL REGUL HOMEOSTATIC AGENTS* 1992;6(1):26-30.
- (196) Nicoletti F, Meroni P, Di Marco R, Barcellini W, Borghi MO, Gariglio M, et al. In vivo treatment with a monoclonal antibody to interferon-gamma neither affects the survival nor the incidence of lupus-nephritis in the MRL/lpr-lpr mouse. *Immunopharmacology* 1992;24(1):11-16.
- (197) Garotta G, Gribaudo G, Landolfo S, Ozmen L, Fountoulakis M, Stuber D, et al. The mouse soluble IFN? receptor used in vivo as a possible immunomodulatory drug. *MEDITERR J INFECT PARASIT DIS* 1992;7(2):163-164.
- (198) Landolfo S, Gariglio M, Gaboli M, Lembo D, Macario M, Cavallo R. Interferons as gene activators: Regulation at transcriptional level. *MEDITERR J INFECT PARASIT DIS* 1992;7(2):165-166.
- (199) Turano A, Balsari A, Viani E, Landolfo S, Zanoni L, Gargiulo F, et al. Natural human antibodies to ? interferon interfere with the immunomodulating activity of the lymphokine. *Proc*

- Natl Acad Sci U S A 1992;89(10):4447-4451.
- (200) Gariglio M, Panico S, Cavallo G, Divaker C, Lengyel P, Landolfo S. Impaired transcription of the poly rl:rC- and interferon-activatable 202 gene in mice and cell lines from the C57BU6 strain. *Virology* 1992;187(1):115-123.
- (201) Gariglio G, Panico S, Gribaudo G, Martinotti MG, Cavallo G, Landolfo S. Characterization of the nuclear factors involved in 202 gene induction by IFN-alpha and NIH-3T3 cells. *J BIOL REGUL HOMEOSTATIC AGENTS* 1991;5(3):107-111.
- (202) Khanna KK, An S, Wu JM, Landolfo S, Hovanessian AG. Absence of the 40-kDa form of (2'-5')oligoadenylate synthetase and its corresponding mRNA from skin fibroblasts derived from Alzheimer disease patients. *Proc Natl Acad Sci U S A* 1991;88(13):5852-5856.
- (203) Gariglio M, Panico S, Gribaudo G, Martinotti MG, Cavallo G, Landolfo S. Activation of interferon-inducible genes in vivo by synthetic double-stranded RNA, poly rl:rC. *Microbiologica* 1991;14(3):179-183.
- (204) Gariglio M, Martinotti MG, Cavallo G, Landolfo S. In-vitro interaction of cephalosporin and the immune system. *J Chemother* 1991;3 Suppl 1:128-130.
- (205) Gribaudo G, Lembo D, Cavallo G, Landolfo S, Lengyel P. Interferon action: binding of viral RNA to the 40-kilodalton 2'-5'-oligoadenylate synthetase in interferon-treated HeLa cells infected with encephalomyocarditis virus. *J Virol* 1991;65(4):1748-1757.
- (206) Altmeyer A, Staruch MJ, Cofano F, Landolfo S, Dumont FJ. Multiple cytokine interactions regulate Ly-6E antigen expression: Cooperative Ly-6E induction by IFNs, TNF, and IL-1 in a T cell lymphoma and in its induction-deficient variants. *Cell Immunol* 1991;138(1):94-107.
- (207) Gariglio M, Cinato E, Panico S, Cavallo G, Landolfo S. Activation of interferon-inducible genes in mice by poly rl: Rc or alloantigens. *J Immunother* 1991;10(1):20-27.
- (208) Nicoletti F, Luigi Meroni P, Landolfo S, Gariglio M, Guzzardi S, Barcellini W, et al. Prevention of diabetes in BB/Wor rats treated with monoclonal antibodies to interferon-?. *Lancet* 1990;336(8710):319.
- (209) Cofano F, Moore SK, Tanaka S, Yuhki N, Landolfo S, Appella E. Affinity purification, peptide analysis, and cDNA sequence of the mouse interferon ? receptor. *J Biol Chem* 1990;265(7):4064-4071.
- (210) Cavallo G, Gariglio M, Panico S, Landolfo S. Regolazione del? espressione genica in vivo da parte degli interferoni. *Rend Fis Acc Lincei* 1990;1(1):105-109.
- (211) Gribaudo G, Franco A, Lembo D, Cavallo G, Landolfo S. The interferon system and interferon receptor binding. *Haematologica* 1990;75 Suppl 4:3-9.
- (212) Martinotti MG, Gariglio M, Cofano F, Cavallo G, Landolfo S. The role of interferons in the resistance to murine cytomegalovirus. *Microbiologica* 1990;13(4):305-309.
- (213) Gribaudo G, Gariglio M, Cavallo G, Landolfo S. Cell and type specificity of interferon action. Unusual characteristics of the transcriptional control of gene expression by interferon?? in T cells*. *Eur J Immunol* 1990;20(6):1243-1249.
- (214) Caruso A, Bonfanti C, Colombrita D, De Francesco M, De Rango C, Foresti I, et al. Natural antibodies to IFN-? in man and their increase during viral infection. *J Immunol* 1990;144(2):685-690.
- (215) Gariglio M, Martinotti MG, Cavallo G, Landolfo S. Regulation of gene expression by interferons. *G Batteriol Virol Immunol* 1990;83(1-12):143-149.
- (216) Gariglio M, Gribaudo G, Franco A, Pierotti MA, Cavallo G, Landolfo S. Inhibition of interferon-? antiviral and antiproliferative activities by ras oncogene expression. *J Natl Cancer Inst* 1989;81(13):1014-1020.
- (217) Cofano F, Landolfo S, Appella E, Ullrich SJ. Analysis of murine interferon-? binding to its receptor on intact cells and solubilized membranes Identification of an 80 kDa receptor. *FEBS Lett* 1989;242(2):233-236.

- (218) Landolfo S, Gribaudo G, Gariglio M, Fassio A, Franco A, Fizzotti M, et al. Differential control of T cell functions by IFN-alpha/beta and IFN-gamma. *J Chemother* 1989;1(4 Suppl):461-462.
- (219) Gribaudo G, Fizzotti M, Coccio MG, Cavallo G, Landolfo S. Different mechanisms regulate the IFN-inducible expression of 40 kDa human 2'-5' oligo (A) synthetase in HeLa and Molt 4 cells. *Int J Biol Markers* 1989;4(4):221-225.
- (220) Gariglio M, Cavallo G, Landolfo S. Retroviruses and cellular oncogenes. *Int J Biol Markers* 1989;4(4):233-236.
- (221) Franco A, Fizzotti M, Gariglio M, Gribaudo G, Cavallo G, Landolfo S. Characterization of cytoplasmic and nuclear polypeptides induced by interferon?? in a murine pre?B cell leukemia. *Eur J Immunol* 1989;19(7):1171-1176.
- (222) Caruso A, Foresti I, Gribaudo G, Bonfanti C, Pollara P, Dolei A, et al. Anti-interferon-? antibodies in sera from HIV infected patients. *J BIOL REGUL HOMEOSTATIC AGENTS* 1989;3(1):8-12.
- (223) Zucca M, Fiscella M, Gribaudo G, Musso T, Cavallo G, Landolfo S. Biological activity of gamma interferon on various cell types in human and murine systems. *G Batteriol Virol Immunol* 1989;82(1-12):82-87.
- (224) Zucca M, Gribaudo G, Ferrara B, Cavallo G, Landolfo S. Interferon gamma does not induce antiviral resistance in T lymphocytes. *J BIOL REGUL HOMEOSTATIC AGENTS* 1988;2(1):15-18.
- (225) Fassio A, Gariglio M, Cofano F, Cavallo G, Landolfo S. Functional Characterization of Murine Cell Lines Expressing High, Intermediate, or Negative Levels of Surface Receptors for Interferon-?. *J Interferon Res* 1988;8(3):333-341.
- (226) Landolfo S, Gariglio M, Gribaudo G, Jemma C, Giovarelli M, Cavallo G. Interferon?? is not an antiviral, but a growth?promoting factor for t lymphocytes. *Eur J Immunol* 1988;18(4):503-510.
- (227) Zanovello P, Vallerani E, Biasi G, Landolfo S, Collavo D. Monoclonal antibody against IFN-? inhibits Moloney murine sarcoma virus-specific cytotoxic T lymphocyte differentiation. *J Immunol* 1988;140(4):1341-1344.
- (228) Gariglio M, Franco A, Cavallo G, Landolfo S. Evidence for a GTP-Binding Protein Involved in Interferon-? Transduction Signal. *J Interferon Res* 1988;8(4):463-472.
- (229) Frasca D, Adorini L, Landolfo S, Doria G. Enhancement of suppressor T cell activity by injection of anti-IFN-? monoclonal antibody. *J Immunol* 1988;140(12):4103-4107.
- (230) Giovarelli M, Santoni A, Jemma C, Musso T, Giuffrida AM, Cavallo G, et al. Obligatory role of IFN-? in induction of lymphokine-activated and T lymphocyte killer activity, but not in boosting of natural cytotoxicity. *J Immunol* 1988;141(8):2831-2836.
- (231) Prat M, Brett S, Amedeo M, Landolfo S, Comoglio PM. Monoclonal antibodies against murine IFN-? abrogate in vivo tumor immunity against RSV-induced murine sarcomas. *J Immunol* 1987;138(12):4530-4533.
- (232) Savoia D, Landolfo S. Modulation of the adherence of group A streptococci to murine cells. *Microbiologica* 1987;10(3):281-290.
- (233) Gribaudo G, Di Renzo F, Naldini L, Comoglio PM, Cavallo G, Landolfo S. Interferon-? inhibits cell replication, but not pp60(src) activity of RSV-transformed fibroblasts. *Microbiologica* 1987;10(1):47-53.
- (234) Fassio A, Cofano F, Cavallo G, Landolfo S. Activation of protein kinase C down-regulates IFN-gamma receptors. *Biochem Biophys Res Commun* 1987;144(1):337-344.
- (235) Gribaudo G, Coccio MG, Cavallo G, Landolfo S. Production of polyclonal antibodies against the 40 kDa form of human 2'-5' oligoadenylate synthetase. *J Biol Regul Homeost Agents* 1987;1(3):143-146.
- (236) Gandino L, Gribaudo G, Ghezzi P, Landolfo S. Time-dependent differential effects of

- natural and recombinant murine interferon-gamma on ornithine decarboxylase activity of tumor cells. *J Biochem* 1987;101(4):927-932.
- (237) Gariglio M, Franco A, Gribaudo G, Martinotti MG, Landolfo S, Cavallo G. Cefonicid toxicity. I. Effects on the reactivity of the specific immune system. *G Batteriol Virol Immunol* 1987;80(1-12):225-230.
- (238) Cofano F, Fassio A, Cavallo G, Landolfo S. Binding of murine 125I-labelled natural interferon-gamma to murine cell receptors. *J Gen Virol* 1986;67:Pt 6/.
- (239) Gariglio M, Cavallo G, Landolfo S. Modulation of the action of interferon-gamma by protein G. *G Batteriol Virol Immunol* 1986;79(7-12):199-203.
- (240) Giovarelli M, Cofano F, Vecchi A, Forni M, Landolfo S, Forni G. Interferon-activated tumor inhibition in vivo. Small amounts of interferon-gamma inhibit tumor growth by eliciting host systemic immunoreactivity. *Int J Cancer* 1986;37(1):141-148.
- (241) RAMBALDI A, ROSSI V, ALLAVENA P, INTRONA M, LANDOLFO S, BASSAN R, et al. Lymphokine Production in Ty Lymphoproliferative Disorders. *Scand J Immunol* 1986;23(2):183-188.
- (242) Simon MM, Hochgeschwender U, Brugger U, Landolfo S. Monoclonal antibodies to interferon-? inhibit interleukin 2-dependent induction of growth and maturation in lectin/antigen-reactive cytolytic T lymphocyte precursors. *J Immunol* 1986;136(8):2755-2762.
- (243) Simon MM, Landolfo S, Diamantstein T, Hochgeschwender U. Antigen- and lectin-sensitized murine cytolytic T lymphocyte-precursors require both interleukin 2 and endogenously produced immune (gamma) interferon for their growth and differentiation into effector cells. *Curr Top Microbiol Immunol* 1986;126:173-185.
- (244) Savoia D, Cofano F, Landolfo S. A method for the rapid detection of streptococcal group A antigen by specific monoclonal antibody. *Boll Ist Sieroter Milan* 1986;65(1):69-72.
- (245) Cofano F, Fassio A, Cavallo G, Landolfo S. Binding of murine 125I-labelled natural interferon-? to murine cell receptors. *J Gen Virol* 1986;67(6):1205-1209.
- (246) Fassio A, Cofano F, Cavallo G, Landolfo S. Production of polyclonal antibodies against the cellular IFN-gamma receptor. *G Batteriol Virol Immunol* 1986;79(1-6):161-168.
- (247) Gribaudo G, Cofano F, Prat M, Baiocchi C, Cavallo G, Landolfo S. Natural murine interferon-?. *J Biol Chem* 1985;260(17):9936-9940.
- (248) Landolfo S, Cofano F, Giovarelli M, Prat M, Cavallo G, Forni G. Interferon-? plays a crucial role in T lymphocyte reaction against alloantigens. *La Ricerca in Clin Lab* 1985;15(4):307-314.
- (249) Ghezzi P, Bianchi M, Gianera L, Landolfo S, Salmona M. Role of Reactive Oxygen Intermediates in the Interferon-mediated Depression of Hepatic Drug Metabolism and Protective Effect of N-Acetylcysteine in Mice. *Cancer Res* 1985;45(8):3444-3447.
- (250) Cofano F, Fassio A, Fava L, Cavallo G, Landolfo S. Characterization of the receptor for murine gamma interferon. *G Batteriol Virol Immunol* 1985;78(7-12):155-161.
- (251) Reininger L, Fueri J, Boned A, Prat M, Landolfo S, Rubin B. On the molecular basis of T-helper-cell function. IV. B-lymphocyte-promotor factors: On their mode of action, biochemical nature and possible relationship to molecules involved in specific T-helper-cell activity. *Cell Immunol* 1985;92(1):85-104.
- (252) Cofano F, Savoia D, Angeretti A, Cavallo G, Landolfo S. Production of monoclonal antibodies against the carbohydrate of group A streptococci. *Microbiologica* 1985;8(1):23-30.
- (253) Reininger L, Fueri J, Boned A, Prat M, Landolfo S, Rubin B. On the molecular basis of T-helper-cell function IV. B-lymphocyte-promotor factors: On their mode of action, biochemical nature and possible relationship to molecules involved in specific T-helper-cell activity. *Cell Immunol* 1985;92(1):85-104.
- (254) Landolfo S, Cavallo G. Interferon ?: An immunological slant. *Ann Inst Pasteur Immunol* 1985;136(1):84-91.

- (255) Landolfo S, Cofano F, Giovarelli M, Prat M, Cavallo G, Forni G. Inhibition of interferon-gamma may suppress allograft reactivity by T lymphocytes in vitro and in vivo. *Science* 1985;229(4709):176-179.
- (256) Gribaudo G, Negro Ponzi A, Cavallo G, Landolfo S. Purification and physico-chemical characterization of immune (?) interferon produced by a mouse tumor cell line. *Ig Mod* 1985;83(2):266-270.
- (257) Landolfo S, Gribaudo G, Cofano F. Monoclonal antibodies to murine interferon gamma. *Ig Mod* 1985;83(2):271-274.
- (258) Cofano F, Tarone G, Cavallo G, Landolfo S. Enhanced fibronectin production by murine Interferon Gamma. *Ig Mod* 1985;83(2):275-280.
- (259) Gribaudo G, Cofano F, Prat M, Landolfo S. Monoclonal Antibodies to Murine Interferon-?: Affinity Purification and Molecular Characterization of Murine Interferon-?. *J Interferon Res* 1985;5(1):199-208.
- (260) Frasca D, Adorini L, Landolfo S, Doria G. Enhancing effect of IFN-? on helper T cell activity and IL 2 production. *J Immunol* 1985;134(6):3907-3911.
- (261) Rambaldi A, Introna M, Colotta F, Landolfo S, Colombo N, Mangioni C, et al. Intraperitoneal administration of interferon ? in ovarian cancer patients. *Cancer* 1985;56(2):294-301.
- (262) Pischedda F, Landolfo S, Kirchner H. Lack of inhibition of mitogen?induced lymphoproliferation by interferon gamma. *Eur J Immunol* 1985;15(4):413-415.
- (263) Landolfo S, Cofano F, Gandino L, Gribaudo G, Prat M. Monoclonal antibodies against mouse ?-interferon inhibit tumoricidal macrophage activation by T lymphocytes1. *Pathobiology* 1985;53(5):265-269.
- (264) Cofano F, Fassio A, Cavallo G, Landolfo S. Analysis of the gamma interferon receptor in mice. *G Batteriol Virol Immunol* 1985;78(1-6):70-76.
- (265) Cofano F, Comoglio PM, Landolfo S, Tarone G. Mouse immune interferon enhances fibronectin production of elicited macrophages. *J Immunol* 1984;133(6):3102-3106.
- (266) Gribaudo G, Cofano F, Gandino L, Cavallo G, Landolfo S. Electrophoretic mobility of mouse immune (gamma) interferon produced by a cloned T-cell lymphoma. *Microbiologica* 1984;7(4):309-313.
- (267) Cofano F, Fassio A, Cavallo G, Landolfo S. Production of anti-idiotypic monoclonal antibodies that recognize the receptor for murine gamma interferon. *G Batteriol Virol Immunol* 1984;77(7-12):215-219.
- (268) Landolfo S, Cavallo G, Comoglio PM, Prat M. Monoclonal antibodies against murine interferon-y (IFN-y). *Fed Proc* 1984;43(6).
- (269) Prat M, Gribaudo G, Comoglio PM, Cavallo G, Landolfo S. Monoclonal antibodies against murine ? interferon. *Proc Natl Acad Sci U S A* 1984;81(14 l):4515-4519.
- (270) Biondi A, Landolfo S, Fumaroa D, Polentarutti N, Introna M, Mantovani A. Evaluation of absorption with Limulus amebocyte lysate to remove contaminating endotoxin from interferon and lymphokine preparations. *J Immunol Methods* 1984;66(1):103-112.
- (271) Gribaudo G, Cofano F, Cavallo GP, Boggio F, Landolfo S. Gamma-interferon: physico-chemical and biological characteristics. *G Batteriol Virol Immunol* 1984;77(1-6):86-93.
- (272) Savoia D, Cofano F, Cavallo G, Landolfo S. Effect of gamma-interferon on the adherence of streptococci to different murine cell lines. *G Batteriol Virol Immunol* 1984;77(1-6):113-122.
- (273) Marcucci F, Klein B, Altevogt P, Landolfo S, Kirchner H. Concanavalin A-Induced Interferon Gamma Production by Murine Spleen Cells and T Cell Lines. Lack of Correlation with Lyt 1, 2 Phenotype. *Immunobiology* 1984;166(3):219-227.
- (274) Gribaudo G, Cofano F, Negro Ponzi A, Landolfo S. Mouse Gamma Interferon Produced by a Cloned T-Cell Lymphoma. I. Purification and Physicochemical Characterization. *J*

- Interferon Res 1984;4(1):91-99.
- (275) RUBIN B, REININGER L, SUZAN M, FUERI J, DENIZOT F, LANDOLFO S, et al. On the Molecular Basis of T Helper Cell Function: III. B?Lymphocyte Promoter Factors: Production by T Hybridoma and Tumour Cells; Preliminary Biochemical Characterization. Scand J Immunol 1984;19(6):563-573.
- (276) Cortesina G, Bussi M, Morra B, Beatrice F, Cavallo GP, Di Fortunato V, et al. Evaluation of the immune responsiveness in laryngeal cancer patients with specific and aspecific tests: first results of follow-up in 80 cases. G Batteriol Virol Immunol 1983;76(7-12):173-186.
- (277) Landolfo S, Balzi E, Sarzotti M, Negro-Ponzi A, Arnold B. Some characteristics of mouse immune (y) interferon produced by a T-lymphoma cell line. Microbiologica 1983;6(2):101-106.
- (278) Cortesina G, Bussi M, Morra B, Beatrice F, Cavallo GP, Di Fortunato V, et al. Specific LIF production in laryngeal cancer patients: evidence of suppressor activity exerted by adherent cells. Tumori 1983;69(6):497-502.
- (279) Landolfo S, Kirchner H. Comparison with monoclonal anti?la antibodies of antigenic determinants inducing lymphocyte proliferation and immune interferon production in primary and secondary murine mixed lymphocyte reactions. Eur J Immunol 1983;13(1):78-82.
- (280) Berger R, Landolfo S, Balzi E, Kirchner H. Production of Interferon-Gamma in the Syngeneic Mixed Lymphocyte Reaction. Immunobiology 1983;165(2):225-233.
- (281) Martinotti MG, Cofano F, Martinetto P, Landolfo S. Natural macrophage cytotoxicity against Trichomonas vaginalis is mediated by soluble lytic factors. Infect Immun 1983;41(3):1144-1149.
- (282) Sarzotti M, Landolfo S, Dianzani F. Immune (gamma) interferon production by a murine T cell lymphoma: Requirements for macromolecular synthesis and lack of relationship with cell cycle. Infect Immun 1983;41(2):624-630.
- (283) Cofano F, Gribaudo G, Tarone G, Landolfo S. Increase of fibronectin-dependent phagocytosis by immune interferon of the mouse. G Batteriol Virol Immunol 1983;76(1-6):104-108.
- (284) Martinotti MG, Gallione MA, Martinetto P, Landolfo S. Role of cytoskeleton in natural cell-mediated cytotoxicity against Trichomonas vaginalis. Microbiologica 1982;5(4):389-391.
- (285) Gribaudo G, Cavallo GP, Capunzo M, Negro-Ponzi A, Landolfo S. Structural characteristics of mouse immune interferon. Boll Ist Sieroter Milan 1982;61(6):483-486.
- (286) Giovarelli M, Landolfo S, Scher I, Forni G. Distinct alloantigens trigger proliferative or nonproliferative T lymphocyte activation in CBA/N, CBA/J, and C3H mice. Transplantation 1982;33(3):260-264.
- (287) Landolfo S, Arnold B, Suzan M. Immune (y) interferon production by murine T cell lymphomas. J Immunol 1982;128(6):2807-2809.
- (288) Giovarelli M, Landolfo S, Whitmore AC, Forni G. Rous sarcoma virus-induced tumors in mice-I. Macrophage-mediated natural cytotoxicity. Eur J Cancer Clin Oncol 1982;18(3):307-315.
- (289) Schirrmacher V, Landolfo S, Zawatzky R, Kirchner H. Immunogenetic studies on the resistance of mice to highly metastatic DBA/2 tumor cell variants. II. Influence of minor histocompatibility antigens on tumor resistance, gamma-interferon induction and cytotoxic response. Invasion Metastasis 1982;1(3):175-194.
- (290) Landolfo S, Kirchner H, Simon MM. Production of immune interferon is regulated by more than one T cell subset: Lyt?1,2,3 and Qat?5 phenotypes of murine T lymphocytes involved in IFN?? production in primary and secondary mixed lymphocyte reaction. Eur J Immunol 1982;12(4):295-299.
- (291) Forni G, Landolfo S, Giovarelli M, Whitmore AC, Herberman RB. Immune recognition of tumor cells in vivo. I. Role of H?2 gene products in T lymphocyte activation against minor

- histocompatibility antigens displayed by adenocarcinoma cells. *Eur J Immunol* 1982;12(8):664-670.
- (292) Mantovani A, Polentarutti N, Peri G, Martinotti G, Landolfo S. Cytotoxicity of human peripheral blood monocytes against *Trichomonas vaginalis*. *Clin Exp Immunol* 1981;46(2):391-396.
- (293) Martinotti MG, Forni M, Del Monte AM, Giovarelli M, Landolfo S. Immune depression in *Trypanosoma brucei brucei* infected mice. Sequential histological and immunological findings. *Boll Ist Sieroter Milan* 1981;60(4):288-296.
- (294) Martinotti MG, Landolfo S. Development of special research programs onparasitoses and tropical diseases. *G Batteriol Virol Immunol* 1981;74(1-6):181-188.
- (295) Cavallo G, Landolfo S. Macrophages. *G Batteriol Virol Immunol* 1981;74(7-12):213-223.
- (296) Sarzotti M, Landolfo S. Characteristics of cells producing immune interferon. *G Batteriol Virol Immunol* 1981;74(7-12):224-228.
- (297) Forni G, Giovarelli M, Giovanna Martinotti M, Landolfo S. Evolution of macrophage immune recognition of viral, bacterial, protozoal and allo-antigens. *Dev Comp Immunol* 1981;5(SUPPL. 1):61-66.
- (298) Landolfo S, Marcucci F, Schirrmacher V, Kirchner H. Characteristics of Alloantigens and Cellular Mechanisms Responsible for Gamma-Interferon Production in Primary Murine MLC. *J Interferon Res* 1981;1(3):339-345.
- (299) Landolfo S, Martinotti MG, Martinetto P, Forni G, Rabagliati AM. *Trichomonas vaginalis*: Dependence of resistance among different mouse strains upon the non-H-2 gene haplotype, sex, and age of recipient hosts. *Exp Parasitol* 1981;52(3):312-318.
- (300) Giovarelli M, Martinotti MG, Cavallo GP, Landolfo S. Lyt phenotype of T-lymphocytes producing migration inhibitory factor (MIF) in primary murine mixed lymphocyte culture. *Boll Ist Sieroter Milan* 1981;60(2):110-112.
- (301) Martinotti MG, Martinetto P, Landolfo S. Effect of estradiol on natural resistance: In vivo and in vitro studies. *Microbiologica* 1981;4(2):181-186.
- (302) Cavallo GP, Landolfo S. Biologic aspects of macrophage migration inhibitory factor. *G Batteriol Virol Immunol* 1980;73(7-12):196-201.
- (303) Fiori GP, Rabagliati AM, Landolfo S, Penna R. Serologic study on occurrence of toxoplasmosis in a north Italian population sample. *G Batteriol Virol Immunol* 1980;73(7-12):299-316.
- (304) Forni G, Serrati G, Giordano L, Giovarelli M, Rendine S, Landolfo S. Interaction of H-2 and non-H-2 genes in spontaneous resistance to adenocarcinoma ADK-1t in F 1 mice. *J Natl Cancer Inst* 1980;65(3):651-655.
- (305) Landolfo S, Di Matteo C, Capusso A, Negro-Ponzi A, Forni G. Lymphokine production in primary mixed lymphocyte reactions. I. Characteristics of responding and stimulating cells. *Exp Cell Biol* 1980;48(3):180-190.
- (306) Negro Ponzi A, Cerio E, Landolfo S. Quantitative determination of virus hemagglutination: An improved method. *Microbiologica* 1980;3(4):427-441.
- (307) Martinotti MG, Landolfo S, Martinetto P. Hydatidosis and cysticercosis: A social and economic problem. *G Batteriol Virol Immunol* 1980;73(1-6):15-21.
- (308) Landolfo S, Marcucci F, Giovarelli M, Forni G. Does macrophage production of interferon after alloantigen stimulation depend on factors from activated t lymphocytes. *Transplantation* 1980;29(1):87-89.
- (309) Landolfo S, Martinotti MG, Martinetto P, Forni G. Natural cell-mediated cytotoxicity against *Trichomonas vaginalis* in the mouse. I. Tissue, strain, age distribution, and some characteristics of the effector cells. *J Immunol* 1980;124(2):508-514.
- (310) Varesio L, Landolfo S, Giovarelli M, Forni G. The macrophage as the social interconnection within the immune system. *Dev Comp Immunol* 1980;4(C):11-19.

- (311) Forni G, Varesio L, Giovarelli M, Landolfo S. Source of tumor cells influences their immune recognition by H-2-matched mice. *Transplantation* 1979;27(6):433-435.
- (312) Landolfo S, Martinotti MG, Martinetto P, Forni G. Genetic control of Trichomonas vaginalis infection. I. Resistance or susceptibility among different mouse strains. *Boll Ist Sieroter Milan* 1979;58(1):48-51.
- (313) Landolfo S, Giovarelli M, Capusso A, Forni G. Lymphokine production in primary mixed lymphocyte culture (MLC). III. Alloantigen signals and cell-cell interactions involved in migration inhibition factor and immune interferon release. *Boll Ist Sieroter Milan* 1979;58(2):128-132.
- (314) Forni G, Giovarelli M, Negro-Ponzi A, Landolfo S. H-2-restriction and Ia-dependence of the efficient immune recognition of minor histocompatibility antigens in vivo. *Immunogenetics* 1979;9(1):199-202.
- (315) Landolfo S, Marcucci F, Giovarelli M, Viano I, Forni G. Lymphokine production in mouse mixed lymphocyte reaction (MLR) - II. Tentative mapping of murine alloantigens activating migration inhibition factor and interferon release and their relationship with those, activating proliferative response. *Immunogenetics* 1979;9(1):245-253.
- (316) Varesio L, Giovarelli M, Landolfo S, Forni G. Suppression of Proliferative Response and Lymphokine Production during the Progression of a Spontaneous Tumor. *Cancer Res* 1979;39(12):4983-4988.
- (317) Landolfo S, Giovarelli M, Forni G. Alloantigen requirements for nonproliferative activation of T lymphocytes. *Transplantation* 1979;27(4):288-290.
- (318) Landolfo S, Giovarelli M, Martinotti MG, Varesio L, Cappuccinelli P. Enhancement versus tumor resistance induced by different levels of immunodepression in BALB/c mice with protozoan infections. *European Journal of Cancer (1965)* 1979;15(1):27-33.
- (319) Landolfo S, Giovarelli M, Forni G. Alloantigen requirements for nonproliferative activation of T lymphocytes. *Transplantation* 1979;27(4):290-291.
- (320) Landolfo S, Herberman RB, Holden HT. Macrophage-lymphocyte interaction in migration inhibition factor (MIF) production against soluble or cellular tumor-associated antigens. I. Characteristics and genetic control of two different mechanisms of stimulating MIF production. *J Immunol* 1978;121(2):695-701.
- (321) Landolfo S, Martinetto P, Cavallo G. The parasite-host relationship: An immunological game. *G Batteriol Virol Immunol* 1978;71(7-12):192-197.
- (322) Cavallo G, Giovarelli M, Forni G, Landolfo S. Is antibody-dependent cellular cytotoxicity an important mechanism of resistance to tumors in vivo? *Mol Immunol* 1978;15(10-11):801-805.
- (323) Varesio L, Landolfo S, Cavallo G. Kinetics of antibody response in unprimed recipients after transfer of immune lymphocytes. *Folia Biol (Praha)* 1978;24(4):264-269.
- (324) Landolfo S, Herberman RB, Holden HT. Two mechanisms of migration inhibition factor induction by tumour antigens. *Nature* 1977;270(5632):62-64.
- (325) Landolfo S. Macrophage inhibitory factor (MIF): Properties and role in delayed-type hypersensitivity. *G Batteriol Virol Immunol* 1977;70(7-12):137-143.
- (326) Landolfo S, Herberman RB, Holden HT. Stimulation of mouse migration inhibitory factor (MIF) production from MSV immune lymphocytes by soluble tumor associated antigen: requirement for histocompatible macrophages. *J Immunol* 1977;118(4):1244-1248.
- (327) Holden HT, Landolfo S, Herberman RB. T-cell-dependent reactivity against tumor-associated antigens on allogeneic target cells. *Transplant Proc* 1977;9(1):1149-1152.
- (328) Landolfo S, Giovarelli M, Forni G. In vitro arming and blocking activity of sera from BALB/c mice bearing a spontaneous transplantable adenocarcinoma. *European Journal of Cancer (1965)* 1977;13(11):1217-1223.
- (329) Landolfo S, Herberman RB, Holden HT. Cellular immunity to murine sarcoma virus

- induced tumors as measured by macrophage migration inhibition assays. *J Natl Cancer Inst* 1977;59(6):1675-1683.
- (330) Landolfo S, Pugliese A. Effects of a synthetic peptide on the cytotoxic activity of lymphocytes from tumour bearing animals. *G Batteriol Virol Immunol* 1975;68(7-12):240-246.
- (331) Prat M, Landolfo S, Comoglio PM. Neuraminidase sensitive antigenic determinants of plasma cell tumor membrane glycoproteins. *FEBS Lett* 1975;51(1-2):351-354.
- (332) Cappuccinelli P, Giovarelli M, Landolfo S. Immunodepression in mice infected with *Trypanosoma congolense* and *Trichomonas vaginalis*. *G Mal Infett Parassit* 1975;27(8):788-791.
- (333) Landolfo S. Monolayer cultures of transplantable tumors for cytotoxicity tests in vitro. *G Batteriol Virol Immunol* 1973;66:I/7-12.

Source URL: <http://www.viplab.unito.it/it/node/6>